PTO/SB/08A (10-01)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB

Substitute for form 1449A/PTO				Complete if Known			
				Application Number	10/063,829		
INFORMATION DISCLOSURE				Filing Date	5/16/2002		
STATEMENT BY APPLICANT				First Named Inventor	Foo		
	e as many she			Art Unit			
,	•			Examiner Name			
Sheet	1	of	2	Attorney Docket Number	GEMS8081.119		

			U.S. PATE	NT DOCUMENTS	
Examiner Initials*	Cite No.1	Document Number Number - Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
ルス		US-6317620	11-13-2001	Ho et al.	
YICI	ļ	US-5928148	7/27/1999	Wang et al.	<u> </u>
/		US-			
		US-		DF(CEIVED
		US-		1 1 bes	, V 133
		US-			0-2002
		US-		AUG	- 9 2002
		US-			
		US-		TECHNOLO	GY GENTER R3700
		US-		120111020	L. CENTENTION OF
		US-			
		1	I	1	

	FOREIGN PATENT DOCUMENTS						
Examiner Inflais*/	Cite No.1	Foreign Patent Document Country Code ³ - Number ⁴ - Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	₹*	
VIII.		H6-311977	11/8/1994			×	
1.0	-	H6-304153	11/1/1994			×	
1701	-	H8-173396	7/9/1996			×	
						_	
						┼-	
		A STATE OF THE STA			***************************************	+	
·	-					十	
	-	7) 0	1				
Examine Signatur		NUM	\sim	Date Considered	5-5-2066	1	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

*Applicant's unique citation designation number (optional).

*See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04.

*Enter Office that issued the document, by the two-letter code (WIPO Standard \$T.3).

*For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

*Kind of document by the appropriate symbols as indicated on the document under WIPO Standard \$T. 16 if possible.

*Applicant Is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

/	6	F	•	Ē	/ 3
	JUL	3	1	20	02
13	W.	JΉ	ΑŪ	EY	A

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

<i>'</i>			
Sheet	2	of	2

Comple	te if Known	私
Application Number	10/063,829	1
Filing Date	5/16/2002	
First Named Inventor	F00 3	۱ ل
Group Art Unit		
Examiner Name	P	7
Attorney Docket Number	GEMS8081.119	

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS		
Examiner Initials*	Cite, No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	⊤2	
Py	C1	Moran, PR. A flow velocity zeugmatographic interface for NMR imaging in humans. Magnetic Resonance Imaging 1982; 1: 197-203.		
1	C2	Bryant DJ, Payne JA, Firmin DN, and Longmore DB. Measurement of flow with NMR imaging using a gradient pulse and phase difference technique. J Comput Assist Tomogr 1984; 8: 588-93.		
	СЗ	Van Dijk P. Direct cardiact NMR imaging of heart wall and blood flow velocity. J. Comput Assist Tomogr 1984; 8: 429-36.		
	C4	Nayler GL, Firmin DN, and Longmore DB. Blood flow imaging by cine magnetic resonance. J Comput Assist Tomogr 1986; 10: 715-22.		
	C5 ·	Swan JS, Grist TM, Weber DM, Sproat IA, and Wojtowycz MM. MR angiography of the pelvis with variable velocity encoding and a phase-array coil. <i>Radiology</i> 1994; 190: 363-9.		EIVED
	C6	Swan JS, Weber DM, Grist TM, Wojtowycz MM, Korosec FR, and Mistretta CA. Peripheral MR angiography with variable velocity encoding. Work in progress. Radiology 1992; 813-7.	_	9 2002 CENTER R37
	C7	Ehman RL, Felmlee JP. Adaptive technique for high definition MR imaging of moving structures. Radiology 1998; 173: 255-263.	201	CENTER R37
	C8	Ho KY, Leiner T, de Haan MW, Kessels AG, Kitslaar PF, and van Engelshoven JM. Peripheral vasculature tree stenoses: evaluation with moving-bed infusion-tracking MR angiography. <i>Radiology</i> 1998; 206: 683-92.	<i>,</i>	
	C9	Meaney JF, Ridgway JP, Chakraverty S, Robertson I, Kessel D, Radjenovic A, Kouwenhoven M, Kassner A, and Smith MA. Stepping-table gadolinium-enhanced digital subtraction MR angiography of the aorta and lower extremity arteries; preliminary experience. <i>Radiology</i> 1999; 211: 59-67.		
	C10	Foo, TKF, Saranathan M, Prince MR, and Chenevert TL. Automated detection of bolus arrival and initiation of data acquisition in fast, three-dimensional, gadolinium-enhanced MR angiography. Radiology 1997; 203: 275-80.		
	C11	Wilman AH, Riederer SJ, Huston J. 3 rd , Wald JT, and Debbins JP. Arterial phase carotid and vertebral artery imaging in 3D contrast-enhanced MR angiography by combining fluoroscopic triggering with an elliptical centric acquisition order. <i>Magn. Reson Med.</i> 1998; 40: 24-35.		
	C12	Riederer SJ, Fain SB, Kruger DG, and Busse RF. 3D-enhanced MR angiography using fluoroscopic triggering and an elliptical centric view order. <i>Int. J. Card Imaging</i> 1999; 15: 117-29.		
	C13	Prince MR, Chenevert TL, Foo TKF, Londy FJ, Ward JS, Maki JH. Contrast enhanced abdominal MR angiography: Optimization of imaging delay time by automating the detection of contrast material amval in the aorta. Radiology 1997; 203: 109-114.		
	C14	Meany, Dr. James FM, Leeds General Infirmary, Leeds UK Moving Bed MRA, The Future of Peripheral Arteriography? <i>Phillips</i>		
	C15	Kouwenhoven, M., MRA with moving bed imaging, IX International Workshop on Magnetic Resonance Angiography and Introductory Course "New Horizons on MRA and CTA", Valencia, October 7-11, 1997, Book of Abstracts, <i>The MR Angio Club</i> , p. 158.		
PCI	C16	Kruger, DG., Riederer, S.J., Grimm, R.C., Rossman, P.J., Continuously moving table data acquisition method for long FOV contrast-enhanced MRA and whole-body MRI. Magnetic Resonance in Medicine, 47: 224-231 (2002)		

Examiner Signature

Date Considered 5-42664

01	PE	
JUL	3 1 2002	FICE
PATERITE	TRADEMA	Sheet

Examiner Signature

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

43 of X3

Complete if Known					
Application Number 10/063,829					
Filing Date	5/16/2002				
First Named Inventor	F00				
Group Art Unit	28				
Examiner Name	0000				
Attorney Docket Number	GEMS8081.119				

		OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS	6
Examiner Initials*	Cite, No.	Include name of the author (in CAPITAL LETTERS), tille of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	5 2
1)41	C17	K. Liu, B. Rutt, "Sliding Interleaved ky (SLINKY) Acquisition: A Novel 3D MRA Technique with Suppressed Slab Boundary Artifact", JMRI, 8: 903-911 (1998)	
4	C18	K. Liu, B. Rutt, "Systemic Assessment and Evaluation of Sliding Interleaved ky (SLINKY) Acquisition for 3D MRA", JMRI, 8: 912-923 (1998)	
	C19	K. Liu, "SLINKY: More Understanding, Optimization and Application for High Resolution MRA", ISMRM Seventh Scientific Meeting, 1908, 1999.	
	C20	K. Liu, Y. Xu, M. Loncar, "Artifact Transformation Technique: Shifted Interleaved Multi-Volume Acquisition (SIMVA) for 3D FSE, ISMRM Sixth Scientific Meeting, 1618, 1999.	
	C21	K, Liu, Y. Xu, M. Loncar "Applications of Shifted-Interleaved Multi-Volume Acquisition (SIMVA) with Suppressed Slab Boundary Artififact", ISMRM Seventh Scientific Meeting, 1618, 1999.	
	C22	J. Hennig, "Overlapping Section Coverage in Multisection Imaging", JMRI, 3:425-432 (1993).	
	C23	J. Pipe, "Spatial Encoding and Reconstruction in MRI with Quadratic Phase Profiles", MRM, 33:24-33 (1995).	
	C24	J. Pipe, "Analysis of Localized Quadratic Encoding and Reconstruction", MRM, 36: 137-146 (1996).	
	C25	O'Dietrich, J. Hajnal, "Extending the Coverage of True Volume Scans by Continuous Movement of the Subject", ISMRMSeverntj Scoemtofoc <eetomg. 1653.="" 1999.<="" td=""><td></td></eetomg.>	
DLA	C26	K.Y. Ho, T. Leiner, M.H. de haan, J.M. A. van Engelshoven, "Gadolinium Optimized Tracking Technique: A new MRA technique for Imaging the Peripheral Vascular Tree from Aorta to the Foot using one Bolus of Gadolinium", ISMRM Fifth Scientific Meeting, 203, 1997.	
		RECEIVED AUG 200 TECHNOLOGY CEN	ER

Date Considered

Approved for use through 10/31/2002. OMB 0651-0031 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE to a collection of information unless it displays a valid OMB control number. Under the Paperwork Reduction Act of 1995, no persons are required to res

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of Sheet

spond to a collection of information uni-	ess it displays a valid Olvib control number.			
Complete if Known				
Application Number	10/063,829			
Filing Date	5/16/2002			
First Named Inventor	Foo, T.K.			
Group Art Unit	2862			
Examiner Name	Unknown			
Attorney Docket Number	GEM\$8081.119			

			U.S. PATENT DOCUMEN	TS	MECA
	U.S. Patent D		No. of Detector or Applicant	Date of Publication of	SED Where collegery
No.1	Number	Kind Code ⁴ (if known)	of Cited Document	Cited Document	Passages or Relegant Gligures Appear
	US-5584293		Darrow et al.	12-17-1996	VOLOGY LYU3
	US-5631560		Machida	05-20-1997	VENTER
					-'NG3700
					_
					,
┝┷					
			<u> </u>		
		+		<u> </u>	
	Cite No.	US-5584293 US-5631560	US-5584293 US-5631560	U.S. Patent Document Name of Patentee or Applicant of Cited Document	Cite No. ¹ Number Kind Code ² of Cited Document Cited Document MM-DD-YYYY CITED No. ¹ US-5584293 Darrow et al. 12-17-1996 US-5631560 Machida 05-20-1997

Examiner truitials*	Cite No.1	Foreign Patent Document			Many of Statestee as Applicant of	Date of Publication of	Pages, Columns, Lines, Where Relevant	76
		Office ³	Number ⁴	Kind Code ⁶ (if known)	Name of Patentee or Applicant of Cited Document	Cited Document MM-DD-YYYY	Passages or Relevant Figures Appear	Ľ
		EP	0654675	A1	Picker International, Inc.	05-24-1995		1_
	/	EP	1205760	A2	The Board of Trustees of The Leland Stangord Junior University	05-15-2002		
	/	wo	02/082996	A1	Mayo Foundation For Medical Education and Research of the State of Minnesota	10-24-2002		-
00/1	1	DE	10127930	A1	GE Medical Systems Global Technology Company LLC	01-24-2002		ot
								-
			<u> </u>	// //		<u> </u>	<u> </u>	_

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.